## Susan A. Sheets, D.D.S. Ki-Sung Sung, D.D.S.

2515 S. Western Ave., Suite 109 San Pedro, CA 90732 (310)832-2657 www.drsusansheets.com

## HOMECARE FOR TEMPOROMANDIBULAR JOINT DYSFUNCTION (TMD)

- 1. <u>Medication:</u> Take 600 mg of ibuprofen three times a day (about every 6 hours). Common brand names include Motrin, Advil, Mediprin, and Nuprin. These tablets usually are 200 mg each. Therefore, take three tablets three times a day for one to two weeks. Drink plenty of water with the medication.
- 2. <u>Warm, moist heat:</u> Warm, moist heat compresses relieve muscle soreness. Use a warm water bottle, or wrap a dry washcloth around a hot washcloth. Place bottle or compress over your jaw and cheek for 20 minutes. Remove for 20 minutes, then repeat as much as possible.
- 3. **Soft food diet:** Try to avoid any chewy or tough textured foods as this will fatigue your jaw muscles. Eat soft foods for a few days. Avoid gum chewing.
- 4. **Avoid opening your mouth wide:** Avoid any thick sandwiches, or foods that you must open your mouth very wide to eat. Also be careful when yawning. Place a fist underneath your chin while you yawn.
- 5. **Bruxism:** If you grind or clench your teeth, and you own a nightguard, wear it! If you don't own a nightguard, consider getting one.

And, always feel free to call me or any of the doctors on staff at the office.